



THE PERFECT ICF HOME...

NO WINDOWS?



www.GorillaBuck.com

It's been said by builders, that the perfect ICF wall has no window openings. Why? Because you're replacing a solid wall with an opening of glass and supporting window buck system.

With 20+ years of ICF experience, Gorilla Buck provides a cost effective window buck system WITHOUT water or air leaks, warping, strapping of buck frames, and custom lumber cutting.

Why Gorilla Buck is Superior



Green Technology

Any one of our Gorilla Buck styles can contribute LEED points, for manufacturing within 500 miles of the project site and extra points for utilization of either the Solid Foam Buck, or specifying the Neopor™ version of our EPS, with 15% more R-value insulation.



Energy Savings

Gorilla Buck, with its super-insulating fin structure, in conjunction with ICF wall construction produces airtight structure and dramatically reduces air leakage, energy use and HVAC requirements.



Moisture Control

Gorilla Buck Flashing eliminates moisture infiltration at the weakest point in window and door bucks. Gorilla Buck also ensures an airtight building shell making it easier to control and monitor airflow and moisture issues.



Durability

Gorilla Buck Rebar Brackets anchor the buck frame to the concrete, as well as a variety of weather defying buck materials reflecting a practical design approach to durability.



Sustainability

Gorilla Buck contributes to the conservation of our strained natural resources by using less wood, or no wood at all for the construction of buildings, not to mention ensuring the integrity and longevity of your ICF structure.



Recycling/Re-Use

Gorilla Buck produces minimal waste and up to 100% of any waste produced is fully recyclable. Due to the flexibility of Gorilla Buck materials, a 100% recycled buck is available.




Protection

Gorilla Buck products have extreme weather, temperature and moisture resistance. For example, all combinations of Gorilla Buck, with proper installation, are rated to withstand hurricane and tornado winds.


The Gorilla Buck System



Close-up of Gorilla Buck and Flashing



Rebar Brackets



Flashing

Gorilla Buck Optional Materials




Standard Plywood




Fire-proof Densglass™



3/4" Treated Plywood



3/4" OSB



Hardie® Board



Solid Foam




Fire-proof Plywood

Gorilla Buck Provides...

Self-aligning Design
No Air Leaks

Bonding to Concrete
Insulated Design



Instead of cutting corners with a treated 2x12 at the most vulnerable connection in your ICF wall, use the ideal ICF window and door buck—Gorilla Buck!



**GORILLA
BUCK**
The Ideal ICF Window & Door Buck

P.O. Box 423 • 54 1st St. N. W.
Pelican Rapids, MN 56572
218-863-1708 • www.GorillaBuck.com